

Basic


Series dedicated to the installer looking for high-level cameras that make the difference in image quality.



BSH-33K0AB-28

3K Fixed Lens Small Bullet Camera And Hybrid LED

Equipped with a 2.8mm fixed lens, this 3K Bullet camera is designed for short distance surveillance systems (up to 20m) for both indoor and outdoor scenarios and with its Hybrid light technology you can get a full color at night image. Featuring 4in1 technology selectable by the camera COC menu, the BSH-33K0AB-28 is ideal for Plug & Play over existing analog infrastructure.



MAIN FEATURES

- BSH-33K0AB-28 3K Fixed Lens Small Bullet Camera And Hybrid LED
- Sensor: 1/2.5" 3K CMOS Sensor
- Selectable Output: 3K: 2944 × 1656 AHD/TVI 4MP: 2560×1440 AHD/TVI/CVI CVBS: 700TVL
- Lens: 2.8mm Mega-Pixel Fixed (95°)
- True Day&Night-ICR
- 2D-DNR

- Digital WDR/BLC
- Illumination: 20m (1 High-Power IR LED) 20m (1 High-Power White LED)
- IP67
- Weight: 280g
- Power: DC12V/350mA



<https://provision-isr.com>

SPECIFICATIONS

Video	
Image Sensor	1/2.5" 3K CMOS Sensor
Image Format	16:9
Effective Pixels	2944 × 1656
Scanning System	Progressive
Min. Illumination	Color: 0.005lux @F1.2, AGC on B/W: 0lux with IR
Day & Night	True Day&Night-ICR
Day & Night Modes	Ext/Auto/Day/Night
Compression	
Resolution	3K: 2944 × 1656 AHD/TVI 4MP: 2560x1440 AHD/TVI/CVI CVBS: 700TVL
Frame Rate	3K @ 20FPS, 4MP @ 25FPS
Image	
Backlight Compensation	BLC
S/N Ratio	≥52dB (AGC off)
Privacy Zone	no
Noise Reduction	2D-DNR
Image Enhancement	Digital WDR, BLC
On Screen Data	
CoC Support	Yes
OSD Menu	Available via CoC only
Lens	
Field of View	2.8mm Mega-Pixel Fixed (95°)
Iris	Fixed Iris
Lens Mount	M12 Mount

Connectivity	
Video Output	3K / 4MP (Selected by OSD Menu) AHD/TVI/CVI/CVBS + PAL/NTSC (Selected by OSD Menu)
Audio Connectivity	Built-in Microphone
Housing	
Illumination	20m (1 High-Power IR LED) 20m (1 High-Power White LED)
Bracket	3-Axis Bracket
Protection Rate	IP67
Dimensions	172.2*73.4*74.5mm
Weight (gross)	280g
Power	DC12V/350mA
Work Environment	-30°C ~ 50°C , 10% ~ 90% humidity